

**U. PORTO**

**FMUP** FACULDADE DE MEDICINA  
UNIVERSIDADE DO PORTO

**MESTRADO INTEGRADO EM MEDICINA**

---

2017/2018

António Pedro Monteiro Barbosa

Navegação na Artroplastia Total da Anca: Conceitos Atuais/  
Navigation in Total Hip Arthroplasty: Current Concepts

março, 2018

FMUP

António Pedro Monteiro Barbosa  
Navegação na Artroplastia Total da Anca: Conceitos Atuais/  
Navigation in Total Hip Arthroplasty: Current Concepts

**Mestrado Integrado em Medicina**

**Área: Ortopedia e Traumatologia**

**Tipologia: Monografia**

**Trabalho efetuado sob a Orientação de:**  
**Professor Doutor João Manuel da Costa Ferreira Torres**

**Trabalho organizado de acordo com as normas da revista:**  
**BioMed Research International**

março, 2018

**FMUP**

Eu, António Pedro Monteiro Barbosa, abaixo assinado, nº mecanográfico 201304164, estudante do 6º ano do Ciclo de Estudos Integrado em Medicina, na Faculdade de Medicina da Universidade do Porto, declaro ter atuado com absoluta integridade na elaboração deste projeto de opção.

Neste sentido, confirmo que **NÃO** incorri em plágio (ato pelo qual um indivíduo, mesmo por omissão, assume a autoria de um determinado trabalho intelectual, ou partes dele). Mais declaro que todas as frases que retirei de trabalhos anteriores pertencentes a outros autores, foram referenciadas, ou redigidas com novas palavras, tendo colocado, neste caso, a citação da fonte bibliográfica.

Faculdade de Medicina da Universidade do Porto, 16/03/2018

Assinatura conforme cartão de identificação:

António Pedro Monteiro Barbosa

NOME

António Pedro Monteiro Barbosa

NÚMERO DE ESTUDANTE

201304164

E-MAIL

apedrombarbosa@gmail.com

DESIGNAÇÃO DA ÁREA DO PROJECTO

Ortopedia e Traumatologia

TÍTULO DISSERTAÇÃO/MONOGRAFIA (riscar o que não interessa)

Navegação na Artroplastia Total da Anca: Conceitos Atuais/ Navigation in Total Hip Arthroplasty:  
Current Concepts

ORIENTADOR

Professor Doutor João Manuel da Costa Ferreira Torres

COORIENTADOR (se aplicável)

ASSINALE APENAS UMA DAS OPÇÕES:

É AUTORIZADA A REPRODUÇÃO INTEGRAL DESTES TRABALHOS APENAS PARA EFEITOS DE INVESTIGAÇÃO, MEDIANTE DECLARAÇÃO ESCRITA DO INTERESSADO, QUE A TAL SE COMPROMETE.	<input checked="" type="checkbox"/>
É AUTORIZADA A REPRODUÇÃO PARCIAL DESTES TRABALHOS (INDICAR, CASO TAL SEJA NECESSÁRIO, Nº MÁXIMO DE PÁGINAS, ILUSTRAÇÕES, GRÁFICOS, ETC.) APENAS PARA EFEITOS DE INVESTIGAÇÃO, MEDIANTE DECLARAÇÃO ESCRITA DO INTERESSADO, QUE A TAL SE COMPROMETE.	<input type="checkbox"/>
DE ACORDO COM A LEGISLAÇÃO EM VIGOR, (INDICAR, CASO TAL SEJA NECESSÁRIO, Nº MÁXIMO DE PÁGINAS, ILUSTRAÇÕES, GRÁFICOS, ETC.) NÃO É PERMITIDA A REPRODUÇÃO DE QUALQUER PARTE DESTES TRABALHOS.	<input type="checkbox"/>

Faculdade de Medicina da Universidade do Porto, 16/03/2018

Assinatura conforme cartão de identificação:

António Pedro Monteiro Barbosa

## Navigation in Total Hip Arthroplasty: Current Concepts

Authors:

Barbosa A. (Msc)<sup>1</sup>, Torres J. (MD, FEBOT, PhD)<sup>1,2</sup>

1 - Faculty of Medicine – University of Porto – Portugal

2 - Centro Hospitalar S. Joao – Porto - Portugal

Corresponding author: Joao Torres – [contacto@joaotorresortopedia.com](mailto:contacto@joaotorresortopedia.com)

### Abstract

Total Hip Arthroplasty (THA) is one of the most frequent orthopedic procedures. Implant malposition can lead to accelerated wear and a diminished prosthesis' lifespan. The outcome relies on surgical technique among other factors. To overcome this, navigation systems were developed. Computer Assisted Orthopedics Surgery (CAOS) comprises passive navigation systems, semi-active systems and robotic surgery. Navigation systems include image-free, CT-based and fluoroscopy-based navigation. The use of navigation systems in THA is not as well established as in total knee replacement. Recent studies have evaluated the effectiveness of these methods in THA. In this article, the authors aimed to review the recent data regarding the application of navigation systems in THA.

Most authors have found that navigation systems aid the surgeon to improve THA results, compared to conventional methods. Since the outcome depends on factors other than surgical technique, some authors found that there is not a significant improvement in accuracy.

The application of these techniques is still controversial due to its higher cost, radiation exposure and steep learning curve. As the methods improve and its use spreads, these disadvantages tend to fade away.

## Introduction

Total Hip Arthroplasty (THA) is most often used as the number one end-stage treatment for osteoarthritis [1, 2] and fractures. Maradit Kremers et al. estimated that the overall prevalence of THA in the USA population in 2010 was 0.83%, with a higher prevalence in women (0.93% versus 0.72% in men) and increasing with age (0.11 in the <50 years old group versus 2.34 in the >50 years old group) [2].

Revision rates of THA are predicted to increase; revision surgery is associated with implant malposition, dislocation and infection, which are often due to ineffective surgical techniques [1]. The most frequent errors in placement occur in the acetabular component. Inappropriate positioning can lead to early dislocation and ultimately decreased lifespan of the prosthesis [3, 4]. Also, incongruent limb length and poor reconstruction of hip offset are common complaints among patients [5], and can also be associated with surgical technique.

Component placement is traditionally assisted by mechanical guides accompanying hip arthroplasty systems. Because they are determined by the data of an averaged bone morphology and do not take into consideration individual anatomic variances, they can lead to extensive variability in prosthesis insertion. For instance, the lifestyle of many Asian patients requires a larger range of motion than that of western ones. Therefore, an accurate placement is preponderant in this population [3]. With the traditional techniques, accounting for changes caused by intra-operative movement of the joint, tracing bony landmarks, limb alignment, and rotational axis of the prosthesis rely upon the surgeon's experience [6, 7]. Also, these devices may increase surgical time and complications, such as bleeding and infection rates [7].

In order to minimize these disadvantages, navigation systems in THA were introduced [6]. These systems allow for a 3D reconstruction of the joint and a dynamic interaction with the images both pre- and post-operatively [1, 3, 8, 9]. Despite increasing placement precision [10], there is still some skepticism regarding its application, because of its increased cost, planning stage, radiation exposure and complexity [5, 6, 8, 11].

The use of navigation systems in THA is not as well studied as in total knee replacement [1]. In this article, the authors aim to review the recent data regarding the application of navigation system in THA.

## Computer Assisted Orthopedics Surgery (CAOS)

CAOS gives the operator instantaneous feedback about the performed steps through a virtual guide of the surgical field [12]. It is divided in three categories: active, semi-active and passive. The active system concerns robotic surgery, where autonomous machines execute actions pre-programmed by the surgeon. The semi-active relates to haptic robot arms and the passive ones use navigation systems. For the purpose of this article we will focus on navigation systems.

Navigation systems allow a precise 3D model recreation of a patients' specific anatomy and account for pelvic motion during surgery, allowing the operator to properly plan the procedure. Kreuzer has shown that using this technique, prosthesis' implantation is more accurate and surgical time can be diminished. This could prevent some complications commonly seen, such as: leg-length discrepancy, dislocation and osteolysis [6].

This method uses either optical or magnetic sensors and a charged coupled device camera obtains positional information using infrared lights. Magnetic sensors can be influenced by motors or metallic tools present in the room [3, 7]. In a navigated THA, a tracker is implanted to the pelvis and femur providing data about their shape. The navigation system then guides the placement of the acetabular cup in a planned orientation and the broaching of the femoral canal after femoral neck resection, for proper placement of the femoral component. After hip reduction, the range of motion and impingement of the joint are assessed with the help of navigation system [3]. The anterior superior iliac spines and the pubic tubercles define the anterior pelvic plane. These landmarks serve as reference for the navigation system to determine the acetabular cup orientation [9]. Surgical navigation systems comprise imageless navigation, Computed Tomography (CT) based navigation and fluoroscopy based navigation.

**Image free navigation systems** rely on epidigitization with a pointer of the anatomical landmarks identified by manual palpation [11]. Its main advantage is the radiation-free obtained data that allows an intraoperative identification of the hip's center of rotation [3].

The accuracy of this technique can be influenced by the surgeon's experience and the amount of soft tissue covering the bony landmarks [3, 8], especially in obese patients [13]. To avoid this, it is recommended that the pointer should be pressed as close as possible to the bone [3]. Also, lateral and supine positions as opposed to the Anterior Pelvic Plane (APP) may improve accuracy in cases where the soft tissue is a significant factor [4]. It is well established that imageless computed navigation is superior to conventional methods [14], but more studies are necessary to evaluate the accuracy of this technique by itself. Spencer et al. found there to be a significant intra- and inter-operator discrepancy in determining the APP on cadavers [15]. Also, it does not allow for preoperative planning [8]. Recent studies have tested the use of ultrasound-assisted navigation, and Hirschmann et al. report this method could eliminate systematic errors in APP orientation found with imageless techniques or no-navigation systems [11].

**CT-based navigation** is the goldstandard for surgical navigation [3] because it allows for preoperative planning [8]. This system offers a 3D reconstruction based on the 3 anatomical planes providing a dynamic image of the skeleton and implant, which is useful for planning the alignment and positioning of the prosthesis and calculating the range of motion intra-operatively [3, 9]. Since the ideal position for placement was found to be more restrict than that obtained from conventional methods, this technique is proven to present better results [16]. The additional radiation exposure to the patient, increased cost, longer time required for preoperative planning and the steep learning curve are some of the limitations of this technique [3, 8].

**Fluoroscopy-based navigation** can be used by itself, overcoming the disadvantage of delaying surgery to obtain CT scans; or combined with CT, matching the fluoroscopic image of the

patient's bony landmarks obtained during surgery with the preoperative CT data [3, 17]. However, Tannast et al. found that fluoroscopy-based navigation, compared to conventional methods, failed to show an improvement in cup anteversion, due to errors of registration of the mid-pubic point [18]. Associating this technique with pointer based percutaneous palpation improves accuracy of cup placement [3].




Fig.1 - This figure shows the 3D CT-model analysis for acetabular cup orientation. (A) A frontal view from the post-operative CT scan of the pelvis and proximal femur.(B) A transverse view from the post-operative CT scan of the pelvis and proximal femur. (C)A 3D pelvis–prosthesis model constructed from the CT images. (Courtesy of Lin et al [9])

## Recent advances

The use of navigation systems in THA is slowly increasing [1] and new studies are testing the accuracy, effectiveness and relevance of these techniques. Most studies reveal favorable results. A systematic review and meta-analysis from 2017, which ultimately considered seven studies, showed that cup placement was statistically more precise using navigation systems for both anteversion (6/7 studies) and inclination (5/7 studies) [19]. Domb et al. found that the implant was placed in Lewinnek's safe zone in 90.7% of the cases using navigation system versus 69.49% with conventional methods [20]. In a study by Nogler et al., THA was performed in 44 cadaveric hips divided in 2 equal groups: with and without navigation. They found the navigated group had a significantly smaller range of deviation from the target angles of inclination [median of 1.3 (0.6–2.2) versus 5.8 (3.0–8.5)] and anteversion [median of 2.4 (1.0–3.2) versus 9.9 (2.2–14)] [21]. Licini et al. reviewed 150 hip replacements after 1-year follow-up and concluded that there was a statistical significant difference in leg-length discrepancy between the 75 navigation THA [0.3 mm (SD=0.3 mm)] and 75 free-handed THA [1.8 mm (SD=0.7 mm)] [22]. Regarding fluoroscopy-assisted navigation, Jennings et al. found this method steered acetabular cup inclination and anteversion to within 10° of a preoperative plan in all cases. When a 5° criteria was used, outliers occurred in 12.8% of the cases for inclination and 23.4% for anteversion, which still was more accurate than conventional THA [23]. In Tannast et al.'s study, 15.3% of cups were placed within



the safe zone with a conventional approach, contrasting with 76.9% using fluoroscopy-navigation [18]. Concerning surgical time, some authors believe this technique increases its duration, although Kreuzer et al. found that its application in THA using the direct anterior approach decreased surgical time [6].

However, the functional outcome depends on factors other than cup orientation, such as head–neck ratio, femoral offset, stem orientation and depth of the acetabular component, and muscle tension, as well as the patient’s anatomy and comorbidities and the surgeon’s experience [19]. Also, in Licini’s study, patients did not report a noticeable leg-length difference, even when there was a discrepancy of almost 2 millimeters [22]. A 10-year follow-up study found no difference in acetabular linear wear or survivorship free from aseptic loosening between the navigation-assisted and the control group [24].

## **Conclusion**

Since its early stages, CAOS has been applied in different fields, but especially in orthopedics due to the bone being the most appropriate tissue for these techniques [3]. Despite this, there is still some reluctance in using it, attributable to technical difficulty and the training necessary to overcome the learning curve. As new technologies emerge and the utilization of navigation system spreads, it is expected a decreased difficulty on learning and implementing these type of procedures [12].

## **Conflict of interest**

The authors declare no conflict of interest.

## References

1. Deep, K., S. Shankar, and A. Mahendra, *Computer assisted navigation in total knee and hip arthroplasty*. Sicot j, 2017. **3**: p. 50.
2. Maradit Kremers, H., et al., *Prevalence of Total Hip and Knee Replacement in the United States*. J Bone Joint Surg Am, 2015. **97**(17): p. 1386-97.
3. Chang, J.D., et al., *The Evolution of Computer-Assisted Total Hip Arthroplasty and Relevant Applications*. Hip Pelvis, 2017. **29**(1): p. 1-14.
4. Davis, E.T., et al., *A new method of registration in navigated hip arthroplasty without the need to register the anterior pelvic plane*. J Arthroplasty, 2015. **30**(1): p. 55-60.
5. Renkawitz, T., et al., *Femoral pinless length and offset measurements during computer-assisted, minimally invasive total hip arthroplasty*. J Arthroplasty, 2014. **29**(5): p. 1021-5.
6. Kreuzer, S. and K. Leffers, *Direct anterior approach to total hip arthroplasty using computer navigation*. Bull NYU Hosp Jt Dis, 2011. **69 Suppl 1**: p. S52-5.
7. Zhang, Y.Z., et al., *Alignment of the lower extremity mechanical axis by computer-aided design and application in total knee arthroplasty*. Int J Comput Assist Radiol Surg, 2016. **11**(10): p. 1881-90.
8. Inaba, Y., et al., *The current status and future prospects of computer-assisted hip surgery*. J Orthop Sci, 2016. **21**(2): p. 107-15.
9. Lin, F., et al., *Validation of a computer navigation system and a CT method for determination of the orientation of implanted acetabular cup in total hip arthroplasty: a cadaver study*. Clin Biomech (Bristol, Avon), 2008. **23**(8): p. 1004-11.
10. Kamara, E., et al., *Pin Site Complications Associated With Computer-Assisted Navigation in Hip and Knee Arthroplasty*. J Arthroplasty, 2017. **32**(9): p. 2842-2846.
11. Hirschmann, M.T., et al., *Navigated total hip arthroplasty using a 3-D freehand ultrasound system: technical note and preliminary results*. Orthopedics, 2011. **34**(12): p. e816-20.
12. Zheng, G. and L.P. Nolte, *Computer-Assisted Orthopedic Surgery: Current State and Future Perspective*. Front Surg, 2015. **2**: p. 66.
13. Gupta, A., et al., *Does Robotic-Assisted Computer Navigation Affect Acetabular Cup Positioning in Total Hip Arthroplasty in the Obese Patient? A Comparison Study*. J Arthroplasty, 2015. **30**(12): p. 2204-7.
14. Liu, Z., Y. Gao, and L. Cai, *Imageless navigation versus traditional method in total hip arthroplasty: A meta-analysis*. Int J Surg, 2015. **21**: p. 122-7.
15. Spencer, J.M., et al., *Computer navigation of the acetabular component: a cadaver reliability study*. J Bone Joint Surg Br, 2006. **88**(7): p. 972-5.
16. Elkins, J.M., J.J. Callaghan, and T.D. Brown, *The 2014 Frank Stinchfield Award: The 'landing zone' for wear and stability in total hip arthroplasty is smaller than we thought: a computational analysis*. Clin Orthop Relat Res, 2015. **473**(2): p. 441-52.
17. Hayashi, S., et al., *Evaluation of the accuracy of femoral component orientation by the CT-based fluoro-matched navigation system*. Int Orthop, 2013. **37**(6): p. 1063-8.
18. Tannast, M., et al., *Accuracy and potential pitfalls of fluoroscopy-guided acetabular cup placement*. Comput Aided Surg, 2005. **10**(5-6): p. 329-36.
19. Snijders, T., S.M. van Gaalen, and A. de Gast, *Precision and accuracy of imageless navigation versus freehand implantation of total hip arthroplasty: A systematic review and meta-analysis*. Int J Med Robot, 2017. **13**(4).

20. Domb, B.G., et al., *Accuracy of Component Positioning in 1980 Total Hip Arthroplasties: A Comparative Analysis by Surgical Technique and Mode of Guidance*. J Arthroplasty, 2015. **30**(12): p. 2208-18.
21. Nogler, M., et al., *Reduced variability in cup positioning: the direct anterior surgical approach using navigation*. Acta Orthop, 2008. **79**(6): p. 789-93.
22. Licini, D.J., et al., *Comparison of limb-length discrepancy after THA: with and without computer navigation*. Orthopedics, 2013. **36**(5): p. e543-7.
23. Jennings, J.M., et al., *Independent Evaluation of a Mechanical Hip Socket Navigation System in Total Hip Arthroplasty*. J Arthroplasty, 2016. **31**(3): p. 658-61.
24. Parratte, S., et al., *Reply to the Letter to the Editor: Editor's Spotlight/Take 5: No Benefit after THA Performed with Computer-assisted Cup Placement: 10-year Results of a Randomized Controlled Study*. Clin Orthop Relat Res, 2017. **475**(2): p. 567-569.

### Journal Menu

- [About this Journal](#)
- [Abstracting and Indexing](#)
- [Aims and Scope](#)
- [Article Processing Charges](#)
- [Articles in Press](#)
- [Bibliographic Information](#)
- [Editorial Board](#)
- [Editorial Workflow](#)
- [Publication Ethics](#)
- [Reviewer Resources](#)
- [Subscription Information](#)
- [Table of Contents](#)

### Special Issues Menu

- [Annual Issues](#)
- [Open Special Issues](#)
- [Published Special Issues](#)
- [Special Issue Resources](#)



Subscribe to  
Table of Contents Alerts

## Author Guidelines

### Language Editing

Hindawi has partnered with Editage to provide an English-language editing service to authors prior to submission. Authors that wish to use this service will receive a 10% discount on all editing services provided by Editage. To find out more information or get a quote, please [click here](#).

### Submission

Manuscripts should be submitted by one of the authors of the manuscript through the online [Manuscript Tracking System](#). Only electronic PDF (.pdf) or Word (.doc, .docx, .rtf) files can be submitted through the MTS, and there is no page limit. Submissions by anyone other than one of the authors will not be accepted. The submitting author takes responsibility for the manuscript during submission and peer review. If for some technical reason submission through the MTS is not possible, the author can contact [bmri@hindawi.com](mailto:bmri@hindawi.com) for support.

### Terms of Submission

Manuscripts must be submitted on the understanding that they have not been published elsewhere and are only being considered by this journal. The submitting author is responsible for ensuring that the article's publication has been approved by all the other coauthors. It is also the submitting author's responsibility to ensure that the article has all necessary institutional approvals. Only an acknowledgment from the editorial office officially establishes the date of receipt. Further correspondence and proofs will be sent to the author(s) before publication, unless otherwise indicated. It is a condition of submission that the authors permit editing of the manuscript for readability. All inquiries concerning the publication of accepted manuscripts should be addressed to [bmri@hindawi.com](mailto:bmri@hindawi.com). All submissions are bound by the Hindawi [terms of service](#).

### Peer Review

All manuscripts are subject to peer review and are expected to meet the standards of academic excellence. If approved by the editor, submissions will be considered by peer reviewers, whose identities will remain anonymous to the authors.

Our Research Integrity team will occasionally seek advice outside standard peer review, for example, on submissions with serious ethical, security, biosecurity, or societal implications. We may consult experts and the academic editor before deciding on appropriate actions, including but not limited to: recruiting reviewers with specific expertise, assessment by additional editors, and declining to further consider a submission.

### Concurrent Submissions

In order to ensure sufficient diversity within the authorship of the journal, authors will be limited to having two manuscripts under review at any point in time. If an author already has two manuscripts under review in the journal, they will need to wait until the review process of at least one of these manuscripts is complete before submitting another manuscript for consideration. This policy does not apply to Editorials or other non-peer reviewed manuscript types.

### Article Processing Charges

The journal is Open Access. Article Processing Charges (APCs) allow the publisher to make articles immediately available online to anyone to read and reuse upon publication. For more details, please visit the [Article Processing Charges](#) information page.

### Units of Measurement

Units of measurement should be presented simply and concisely using the International System of Units (SI).

### Article Types

The journal will consider the following article types:

#### Research Articles

Research articles should present the results of an original research study. These manuscripts should describe how the research project was conducted and provide a thorough analysis of the results of the project. Systematic reviews may be submitted as research articles.

## Clinical Studies

A clinical study presents the methodology and results of a study that was performed within a clinical setting. These studies include both clinical trials and retrospective analyses of a body of existing cases. In all cases, clinical studies should include a description of the patient group that was involved, along with a thorough explanation of the methodology used in the study and the results that were obtained.

When publishing clinical trials, Hindawi aims to comply with the recommendations of the International Committee of Medical Journal Editors (ICMJE) on trial registration. Therefore, authors are requested to register the clinical trial presented in the manuscript in a public trial registry and include the trial registration number at the end of the abstract. Trials initiated after July 1, 2005, must be registered prospectively before patient recruitment has begun. For trials initiated before July 1, 2005, the trial must be registered before submission.

## Reviews

A review article provides an overview of the published literature in a particular subject area.

## Formatting

---

An optional research article manuscript template can be downloaded [here](#). We recommend that all manuscripts follow the structure below:

### Title and Authorship Information

The following information should be included:

- ▶ Manuscript title
- ▶ Full author names
- ▶ Full institutional mailing addresses
- ▶ Email addresses

### Abstract

The manuscript should contain an abstract. The abstract should be self-contained, citation-free, and should not exceed 200 words.

### Introduction

This section should be succinct, with no subheadings.

### Materials and Methods

This part should contain sufficient detail that would enable all procedures to be repeated. It can be divided into subsections if several methods are described.

### Results and Discussion

This section may be divided into subsections or may be combined.

### Main Text (Review only)

This section may be divided into subsections or may be combined.

### Conclusions

This should clearly explain the main conclusions of the article, highlighting its importance and relevance.

### Data Availability (excluding Review articles)

This statement should describe how readers can access the data supporting the conclusions of the study and clearly outline the reasons why unavailable data cannot be released. For guidance on composing a Data Availability statement, including template examples, please see [here](#).

### Conflicts of Interest

Authors must declare all relevant interests that could be perceived as [conflicting](#). Authors should explain why each interest may represent a conflict. If no conflicts exist, the authors should state this. Submitting authors are responsible for coauthors declaring their interests.

### Funding Statement

Authors must state how the research and publication of their article was funded, by naming financially supporting body(s) (written out in full) followed by associated grant number(s) in square brackets (if applicable), for example: "This work was supported by the Engineering and Physical Sciences Research Council [grant numbers xxxx, yyyy]; the National Science Foundation [grant number zzzz]; and a Leverhulme Trust Research Project Grant".

If the research did not receive specific funding, but was performed as part of the employment of the authors, please name this employer. If the funder was involved in the manuscript writing, editing, approval, or decision to publish, please declare this.

### Acknowledgments

All acknowledgments (if any) should be included at the very end of the manuscript before the references. Anyone who made a contribution to the research or manuscript, but who is not a listed author, should be acknowledged (with their permission).

## References

Authors may submit their references in any style. If accepted, these will be reformatted in Chicago style by Hindawi. Authors are responsible for ensuring that the information in each reference is complete and accurate. All references should be numbered consecutively in the order of their first citation. Citations of references in the text should be identified using numbers in square brackets e.g., “as discussed by Smith [9]”; “as discussed elsewhere [9, 10]”. All references should be cited within the text and uncited references will be removed.

## Preparation of Figures

Upon submission of an article, authors should include all figures and tables in the PDF file of the manuscript. Figures and tables should not be submitted in separate files. If the article is accepted, authors will be asked to provide the source files of the figures. Each figure should be supplied in a separate electronic file. All figures should be cited in the manuscript in a consecutive order. Figures should be supplied in either vector art formats (Illustrator, EPS, WMF, FreeHand, CorelDraw, PowerPoint, Excel, etc.) or bitmap formats (Photoshop, TIFF, GIF, JPEG, etc.). Bitmap images should be of 300 dpi resolution at least unless the resolution is intentionally set to a lower level for scientific reasons. If a bitmap image has labels, the image and labels should be embedded in separate layers.

## Preparation of Tables

Tables should be cited consecutively in the text. Every table must have a descriptive title and if numerical measurements are given, the units should be included in the column heading. Vertical rules should not be used.

## Supplementary Materials

Supplementary materials are the additional parts to a manuscript, such as audio files, video clips, or datasets that might be of interest to readers. Authors can submit one file of supplementary material along with their manuscript through the Manuscript Tracking System. If there is more than one file, they can be uploaded as a .ZIP file.

A section titled “Supplementary Material” should be included before the references list with a concise description for each supplementary material file. Supplementary materials are not modified by our production team. Authors are responsible for providing the final supplementary materials files that will be published along with the article.

## Proofs

Corrected proofs must be returned to the publisher within two to three days of receipt. The publisher will do everything possible to ensure prompt publication.

## Copyright and Permissions

Authors retain the copyright of their manuscripts, and all Open Access articles are distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided that the original work is properly cited.

The use of general descriptive names, trade names, trademarks, and so forth in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations. The submitting author is responsible for securing any permissions needed for the reuse of copyrighted materials included in the manuscript.

While the advice and information in this journal are believed to be true and accurate on the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

## Conflicts of Interest

Conflicts of interest (COIs, also known as ‘competing interests’) occur when issues outside research could be reasonably perceived to affect the neutrality or objectivity of the work or its assessment. For more information, see our [publication ethics policy](#). Authors must declare all potential interests – whether or not they actually had an influence – in a ‘Conflicts of Interest’ section, which should explain why the interest may be a conflict. If there are none, the authors should state “The author(s) declare(s) that there is no conflict of interest regarding the publication of this article.” Submitting authors are responsible for coauthors declaring their interests. Declared conflicts of interest will be considered by the editor and reviewers and included in the published article.

Authors must declare current or recent funding (including for Article Processing Charges) and other payments, goods or services that might influence the work. All funding, whether a conflict or not, must be declared in the “Funding Statement”. The involvement of anyone other than the authors who 1) has an interest in the outcome of the work; 2) is affiliated to an organization with such an interest; or 3) was employed or paid by a funder, in the commissioning, conception, planning, design, conduct, or analysis of the work, the preparation or editing of the manuscript, or the decision to publish must be declared.

## Microarray Data Submission

Before publication, the microarray data should be deposited in an appropriate database such as Gene Expression Omnibus (GEO) or Array Express, and an entry name or accession number must be included in the manuscript prior to its publication. Microarray data should be MIAME compliant. During the reviewing process, submitting authors are committed to provide the editor and the reviewers handling his/her manuscript with the login information by which they can access this information in the database.

## Small Molecule Single Crystal X-Ray Diffraction Data

---

We recommend the use of SHELXL (2014 or later) for data processing, which embeds both the results file and structure factors into the finalized crystallographic information file (CIF) (see <http://journals.iucr.org/c/services/shelxl.html> for more information).

We strongly encourage that all new small molecule single crystal X-ray diffraction data be deposited with the Cambridge Crystallographic Data Centre (CCDC; <https://www.ccdc.cam.ac.uk/deposit>) prior to submission of your article. The CCDC number(s) assigned to your structure(s) should be listed in the "Data Availability" statement, which permits retrieval of the crystallographic data for peer review purposes, and allows readers to find them once the article is published.

We would also ask you to check the integrity of your data using the IUCr's checkCIF service (available here: <http://checkcif.iucr.org/>), and address significant unresolved problems (typically all A- and B-alerts) in the Validation Response Form portion of the CIF. The generation of the checkCIF report and the response to A- and B-alerts can also all be done through the deposition to the CCDC.

If you choose to not deposit your data in the CCDC prior to submission, you must upload your CIF (and RES and HKL/FCF files if necessary), along with a PDF of the checkCIF report (link above) as Supporting Information, at the same as uploading your manuscript. At acceptance, you should then submit your crystal data to an appropriate repository, and update the "Data Availability" statement in your manuscript to indicate how authors can retrieve the data.

The Data Availability section should reference crystallographic data in the following format: "Crystallographic data for the structures reported in this manuscript have been deposited with the Cambridge Crystallographic Data Centre under the CCDC numbers: xxxxxx (Compound name 1), xxxxxx (Compound name 2), and xxxxxx (Compound name 3). Copies of these data can be obtained free of charge from [http://www.ccdc.cam.ac.uk/data\\_request/cif](http://www.ccdc.cam.ac.uk/data_request/cif)."

## Ethical Guidelines

---

In any studies on human or animal subjects, the following ethical guidelines must be observed. For any experiments on humans, all work must be conducted in accordance with the Declaration of Helsinki (1964). Manuscripts describing experimental work which carries a risk of harm to human subjects must include a statement that the experiment was conducted with the human subjects' understanding and consent, as well as a statement that the responsible Ethical Committee has approved the experiments. In the case of any animal experiments, the authors must provide a full description of any anesthetic or surgical procedure used, as well as evidence that all possible steps were taken to avoid animal suffering at each stage of the experiment.